

TABLICA 1 - Toplinske tablice

Veličine stanja vrele vode i suhozasićene vodene pare
(prema temperaturi)

Temperatura		Tlak zasićenja p_s [bar]	Specifični volumen		Specifična entalpija		Spec. topl. isparivanja r [kJ/kg]	Specifična entropija	
t [°C]	T [K]		kapljevin v' [m ³ /kg]	para v'' [m ³ /kg]	kapljevin h' [kJ/kg]	para h'' [kJ/kg]		kapljevin s' [kJ/kgK]	para s'' [kJ/kgK]
0	273,15	0,00611213	0,00100021	206,140000	-0,04159	2500,89	2500,93	-0,0001545	9,1558
0,01	273,16	0,00611657	0,00100021	205,997000	0,00061	2500,91	2500,91	0,0000000	9,1555
1	274,15	0,00657088	0,00100015	192,445000	4,17665	2502,73	2498,55	0,0152600	9,1291
2	275,15	0,00705988	0,00100011	179,764000	8,39160	2504,57	2496,17	0,030606	9,1027
3	276,15	0,00758082	0,00100008	168,014000	12,60350	2506,40	2493,80	0,045886	9,0765
4	277,15	0,00813549	0,00100007	157,121000	16,81270	2508,24	2491,42	0,061101	9,0506
5	278,15	0,00872575	0,00100008	147,017000	21,01940	2510,07	2489,05	0,076252	9,0249
6	279,15	0,00935353	0,00100011	137,638000	25,22370	2511,91	2486,68	0,09134	8,9994
7	280,15	0,0100209	0,00100014	128,928000	29,42580	2513,74	2484,31	0,10637	8,9742
8	281,15	0,0107299	0,00100020	120,834000	33,62600	2515,57	2481,94	0,12133	8,9492
9	282,15	0,0114828	0,00100027	113,309000	37,82440	2517,40	2479,58	0,13624	8,9244
10	283,15	0,0122818	0,00100035	106,309000	42,02110	2519,23	2477,21	0,15109	8,8998
11	284,15	0,0131295	0,00100044	99,792700	46,21620	2521,06	2474,84	0,16587	8,8755
12	285,15	0,0140282	0,00100055	93,724300	50,41000	2522,89	2472,48	0,18061	8,8514
13	286,15	0,0149806	0,00100067	88,069800	54,60240	2524,71	2470,11	0,19528	8,8275
14	287,15	0,0159894	0,00100080	82,798100	58,79360	2526,54	2467,75	0,20990	8,8038
15	288,15	0,0170574	0,00100095	77,880700	62,98370	2528,36	2465,38	0,22447	8,7804
16	289,15	0,0181876	0,00100110	73,291500	67,17270	2530,19	2463,01	0,23898	8,7571
17	290,15	0,0193829	0,00100127	69,006300	71,36080	2532,01	2460,65	0,25344	8,7341
18	291,15	0,0206466	0,00100145	65,002900	75,54790	2533,83	2458,28	0,26785	8,7112
19	292,15	0,0219818	0,00100164	61,260900	79,73430	2535,65	2455,92	0,28220	8,6886
20	293,15	0,0233921	0,00100184	57,761500	83,91990	2537,47	2453,55	0,29650	8,6661
21	294,15	0,0248810	0,00100205	54,487300	88,10480	2539,29	2451,18	0,31075	8,6439
22	295,15	0,0264521	0,00100228	51,422500	92,28900	2541,10	2448,81	0,32495	8,6218
23	296,15	0,0281092	0,00100251	48,552100	96,47270	2542,92	2446,45	0,33910	8,6000
24	297,15	0,0298563	0,00100275	45,862600	100,6560	2544,73	2444,08	0,35320	8,5783
25	298,15	0,0316975	0,00100301	43,341400	104,8380	2546,54	2441,71	0,36726	8,5568
26	299,15	0,0336369	0,00100327	40,976800	109,0210	2548,35	2439,33	0,38126	8,5355
27	300,15	0,0356789	0,00100354	38,758200	113,2020	2550,16	2436,96	0,39521	8,5144
28	301,15	0,0378281	0,00100382	36,675400	117,3840	2551,97	2434,59	0,40912	8,4934
29	302,15	0,0400892	0,00100411	34,719400	121,5650	2553,78	2432,21	0,42298	8,4727
30	303,15	0,0424669	0,00100441	32,881600	125,7450	2555,58	2429,84	0,43679	8,4521
31	304,15	0,0449663	0,00100472	31,154000	129,9260	2557,39	2427,46	0,45056	8,4317
32	305,15	0,0475925	0,00100504	29,529500	134,1060	2559,19	2425,08	0,46428	8,4115
33	306,15	0,0503508	0,00100536	28,001000	138,2860	2560,99	2422,70	0,47795	8,3914
34	307,15	0,0532469	0,00100570	26,562400	142,4650	2562,79	2420,32	0,49158	8,3715
35	308,15	0,0562862	0,00100604	25,207800	146,6450	2564,58	2417,94	0,50517	8,3518
36	309,15	0,0594747	0,00100639	23,931800	150,8240	2566,38	2415,56	0,51871	8,3323
37	310,15	0,0628185	0,00100675	22,729200	155,0040	2568,17	2413,17	0,53220	8,3129
38	311,15	0,0663237	0,00100712	21,595400	159,1830	2569,96	2410,78	0,54566	8,2936
39	312,15	0,0699968	0,00100749	20,526100	163,3620	2571,75	2408,39	0,55906	8,2746
40	313,15	0,0738443	0,00100788	19,517000	167,5410	2573,54	2406,00	0,57243	8,2557

TABLICA 1 - Toplinske tablice

Veličine stanja vrele vode i suhozasićene vodene pare
(prema temperaturi)

Temperatura		Tlak zasićenja p_s [bar]	Specifični volumen		Specifična entalpija		Spec. topl. isparivanja r [kJ/kg]	Specifična entropija	
			kapljevin v' [m ³ /kg]	para v'' [m ³ /kg]	kapljevin h' [kJ/kg]	para h'' [kJ/kg]		kapljevin s' [kJ/kgK]	para s'' [kJ/kgK]
t [°C]	T [K]								
41	314,15	0,0778731	0,00100827	18,564600	171,7200	2575,33	2403,61	0,58575	8,2369
42	315,15	0,0820901	0,00100867	17,665200	175,8990	2577,11	2401,21	0,59903	8,2183
43	316,15	0,0865026	0,00100908	16,815500	180,0790	2578,89	2398,82	0,61227	8,1999
44	317,15	0,0911180	0,00100949	16,012600	184,2580	2580,67	2396,42	0,62547	8,1816
45	318,15	0,0959439	0,00100991	15,253400	188,4370	2582,45	2394,02	0,63862	8,1634
46	319,15	0,1009880	0,00101034	14,535500	192,6170	2584,23	2391,61	0,65174	8,1454
47	320,15	0,1062590	0,00101078	13,856200	196,7960	2586,00	2389,21	0,66481	8,1276
48	321,15	0,1117640	0,00101123	13,213200	200,9760	2587,77	2386,80	0,67785	8,1099
49	322,15	0,1175120	0,00101168	12,604500	205,1560	2589,54	2384,39	0,69084	8,0923
50	323,15	0,1235130	0,00101214	12,027900	209,3360	2591,31	2381,97	0,70379	8,0749
51	324,15	0,1297740	0,00101260	11,481500	213,5170	2593,08	2379,56	0,71671	8,0576
52	325,15	0,1363050	0,00101308	10,963700	217,6970	2594,84	2377,14	0,72958	8,0405
53	326,15	0,1431160	0,00101356	10,472600	221,8780	2596,60	2374,72	0,74242	8,0235
54	327,15	0,1502150	0,00101404	10,006900	226,0590	2598,35	2372,30	0,75522	8,0066
55	328,15	0,1576140	0,00101454	9,564920	230,2410	2600,11	2369,87	0,76798	7,9899
56	329,15	0,1653220	0,00101504	9,145430	234,4230	2601,86	2367,44	0,78070	7,9733
57	330,15	0,1733500	0,00101555	8,747120	238,6050	2603,61	2365,01	0,79339	7,9568
58	331,15	0,1817080	0,00101606	8,368790	242,7880	2605,36	2362,57	0,80603	7,9405
59	332,15	0,1904070	0,00101658	8,009320	246,9710	2607,10	2360,13	0,81864	7,9243
60	333,15	0,1994580	0,00101711	7,667660	251,1540	2608,85	2357,69	0,83122	7,9082
61	334,15	0,2088730	0,00101765	7,342810	255,3380	2610,58	2355,25	0,84375	7,8922
62	335,15	0,2186640	0,00101819	7,033840	259,5230	2612,32	2352,80	0,85625	7,8764
63	336,15	0,2288420	0,00101874	6,739900	263,7080	2614,05	2350,35	0,86872	7,8607
64	337,15	0,2394210	0,00101929	6,460150	267,8930	2615,78	2347,89	0,88115	7,8451
65	338,15	0,2504110	0,00101985	6,193830	272,0790	2617,51	2345,43	0,89354	7,8296
66	339,15	0,2618270	0,00102042	5,940210	276,2660	2619,23	2342,97	0,90590	7,8142
67	340,15	0,2736800	0,00102100	5,698610	280,4530	2620,96	2340,50	0,91823	7,7990
68	341,15	0,2859860	0,00102158	5,468400	284,6410	2622,67	2338,03	0,93052	7,7839
69	342,15	0,2987560	0,00102216	5,248960	288,8290	2624,39	2335,56	0,94277	7,7689
70	343,15	0,3120060	0,00102276	5,039730	293,0180	2626,10	2333,08	0,95499	7,7540
71	344,15	0,3257500	0,00102336	4,840180	297,2080	2627,81	2330,60	0,96718	7,7392
72	345,15	0,3400010	0,00102396	4,649800	301,3980	2629,51	2328,11	0,97933	7,7245
73	346,15	0,3547750	0,00102458	4,468120	305,5890	2631,21	2325,62	0,99146	7,7100
74	347,15	0,3700880	0,00102520	4,294690	309,7810	2632,91	2323,13	1,0035	7,6955
75	348,15	0,3859540	0,00102582	4,129080	313,9740	2634,60	2320,63	1,0156	7,6812
76	349,15	0,4023890	0,00102645	3,970900	318,1670	2636,29	2318,13	1,0276	7,6669
77	350,15	0,4194090	0,00102709	3,819780	322,3610	2637,98	2315,62	1,0396	7,6528
78	351,15	0,4370310	0,00102773	3,675350	326,5560	2639,66	2313,11	1,0516	7,6388
79	352,15	0,4552710	0,00102838	3,537290	330,7520	2641,34	2310,59	1,0635	7,6248
80	353,15	0,4741470	0,00102904	3,405270	334,9490	2643,01	2308,07	1,0754	7,6110

TABLICA 1 - Toplinske tablice

Veličine stanja vrele vode i suhozasićene vodene pare
(prema temperaturi)

Temperatura		Tlak zasićenja p_s [bar]	Specifični volumen		Specifična entalpija		Spec. topl. isparivanja r [kJ/kg]	Specifična entropija	
t [°C]	T [K]		kapljevin v' [m ³ /kg]	para v'' [m ³ /kg]	kapljevin h' [kJ/kg]	para h'' [kJ/kg]		kapljevin s' [kJ/kgK]	para s'' [kJ/kgK]
81	354,15	0,4936760	0,00102970	3,278990	339,1460	2644,68	2305,54	1,0873	7,5973
82	355,15	0,5138750	0,00103037	3,158180	343,3450	2646,35	2303,01	1,0991	7,5837
83	356,15	0,5347620	0,00103105	3,042570	347,5440	2648,01	2300,47	1,1109	7,5701
84	357,15	0,5563550	0,00103173	2,931900	351,7450	2649,67	2297,93	1,1227	7,5567
85	358,15	0,5786750	0,00103242	2,825930	355,9460	2651,33	2295,38	1,1344	7,5434
86	359,15	0,6017380	0,00103311	2,724450	360,1480	2652,98	2292,83	1,1461	7,5301
87	360,15	0,6255650	0,00103381	2,627220	364,3520	2654,62	2290,27	1,1578	7,5170
88	361,15	0,6501740	0,00103451	2,534060	368,5560	2656,26	2287,70	1,1694	7,5039
89	362,15	0,6755870	0,00103522	2,444760	372,7620	2657,90	2285,14	1,1811	7,4909
90	363,15	0,7018240	0,00103594	2,359150	376,9680	2659,53	2282,56	1,1927	7,4781
91	364,15	0,7289040	0,00103667	2,277050	381,1760	2661,16	2279,98	1,2042	7,4653
92	365,15	0,7568490	0,00103740	2,198300	385,3850	2662,78	2277,39	1,2158	7,4526
93	366,15	0,7856810	0,00103813	2,122750	389,5950	2664,39	2274,80	1,2273	7,4400
94	367,15	0,8154200	0,00103887	2,050250	393,8060	2666,01	2272,20	1,2387	7,4275
95	368,15	0,8460890	0,00103962	1,980650	398,0190	2667,61	2269,60	1,2502	7,4150
96	369,15	0,8777110	0,00104038	1,913830	402,2320	2669,22	2266,98	1,2616	7,4027
97	370,15	0,9103080	0,00104114	1,849650	406,4470	2670,81	2264,37	1,2730	7,3904
98	371,15	0,9439020	0,00104190	1,788010	410,6630	2672,40	2261,74	1,2844	7,3782
99	372,15	0,9785180	0,00104268	1,728780	414,8800	2673,99	2259,11	1,2957	7,3661
100	373,15	1,01418	0,00104346	1,671860	419,0990	2675,57	2256,47	1,3070	7,3541
102	375,15	1,08873	0,00104503	1,564540	427,5410	2678,72	2251,18	1,3296	7,3303
104	377,15	1,16776	0,00104663	1,465290	435,9880	2681,84	2245,85	1,3520	7,3068
106	379,15	1,25147	0,00104826	1,373420	444,4400	2684,94	2240,50	1,3743	7,2836
108	381,15	1,34007	0,00104991	1,288310	452,8990	2688,02	2235,12	1,3965	7,2607
110	383,15	1,43376	0,00105158	1,209390	461,3630	2691,07	2229,70	1,4187	7,2380
112	385,15	1,53277	0,00105328	1,136150	469,8340	2694,09	2224,26	1,4407	7,2157
114	387,15	1,63734	0,00105500	1,068130	478,3120	2697,09	2218,78	1,4626	7,1937
116	389,15	1,74768	0,00105675	1,004890	486,7960	2700,07	2213,27	1,4844	7,1719
118	391,15	1,86404	0,00105853	0,946070	495,2870	2703,02	2207,73	1,5062	7,1504
120	393,15	1,98665	0,00106033	0,891304	503,7850	2705,93	2202,15	1,5278	7,1291
122	395,15	2,11578	0,00106215	0,840276	512,2900	2708,82	2196,53	1,5494	7,1081
124	397,15	2,25168	0,00106400	0,792695	520,8030	2711,69	2190,88	1,5708	7,0873
126	399,15	2,39460	0,00106588	0,748294	529,3230	2714,52	2185,19	1,5922	7,0668
128	401,15	2,54481	0,00106778	0,706832	537,8510	2717,32	2179,47	1,6134	7,0465
130	403,15	2,70260	0,00106971	0,668084	546,3880	2720,09	2173,70	1,6346	7,0264
132	405,15	2,86823	0,00107167	0,631849	554,9330	2722,83	2167,89	1,6557	7,0066
134	407,15	3,04199	0,00107365	0,597939	563,4860	2725,53	2162,04	1,6767	6,9869
136	409,15	3,22417	0,00107566	0,566183	572,0480	2728,20	2156,15	1,6977	6,9675
138	411,15	3,41508	0,00107770	0,536425	580,6200	2730,84	2150,22	1,7185	6,9483
140	413,15	3,61501	0,00107976	0,508519	589,2000	2733,44	2144,24	1,7393	6,9293

TABLICA 1 - Toplinske tablice

Veličine stanja vrele vode i suhozasićene vodene pare
(prema temperaturi)

Temperatura		Tlak zasićenja p_s [bar]	Specifični volumen		Specifična entalpija		Spec. topl. isparivanja r [kJ/kg]	Specifična entropija	
t [°C]	T [K]		kapljevin v' [m ³ /kg]	para v'' [m ³ /kg]	kapljevin h' [kJ/kg]	para h'' [kJ/kg]		kapljevin s' [kJ/kgK]	para s'' [kJ/kgK]
142	415,15	3,82427	0,00108185	0,482334	597,7900	2736,01	2138,22	1,7600	6,9105
144	417,15	4,04318	0,00108397	0,457748	606,3900	2738,54	2132,15	1,7806	6,8918
146	419,15	4,27205	0,00108612	0,434648	615,0000	2741,04	2126,04	1,8011	6,8734
148	421,15	4,51122	0,00108830	0,412931	623,6210	2743,50	2119,88	1,8216	6,8551
150	423,15	4,76101	0,00109050	0,392502	632,2520	2745,92	2113,67	1,8420	6,8370
152	425,15	5,02177	0,00109274	0,373273	640,8930	2748,30	2107,41	1,8623	6,8191
154	427,15	5,29383	0,00109501	0,355162	649,5460	2750,64	2101,10	1,8825	6,8014
156	429,15	5,57755	0,00109730	0,338095	658,2110	2752,95	2094,74	1,9027	6,7838
158	431,15	5,87329	0,00109963	0,322002	666,8870	2755,21	2088,32	1,9228	6,7664
160	433,15	6,18139	0,00110199	0,306818	675,5750	2757,43	2081,86	1,9428	6,7491
162	435,15	6,50224	0,00110438	0,292486	684,2750	2759,61	2075,33	1,9627	6,7320
164	437,15	6,83619	0,00110680	0,278948	692,9880	2761,75	2068,76	1,9826	6,7150
166	439,15	7,18364	0,00110925	0,266155	701,7140	2763,84	2062,13	2,0025	6,6982
168	441,15	7,54495	0,00111174	0,254059	710,4530	2765,89	2055,44	2,0222	6,6815
170	443,15	7,92053	0,00111426	0,242616	719,2060	2767,89	2048,69	2,0419	6,6649
172	445,15	8,31077	0,00111682	0,231785	727,9730	2769,85	2041,88	2,0616	6,6485
174	447,15	8,71606	0,00111941	0,221528	736,7550	2771,77	2035,01	2,0811	6,6322
176	449,15	9,13681	0,00112203	0,211810	745,5510	2773,63	2028,08	2,1007	6,6161
178	451,15	9,57343	0,00112469	0,202598	754,3620	2775,45	2021,09	2,1201	6,6000
180	453,15	10,0263	0,00112739	0,193862	763,1880	2777,22	2014,03	2,1395	6,5841
182	455,15	10,4960	0,00113012	0,185572	772,0300	2778,94	2006,91	2,1589	6,5682
184	457,15	10,9827	0,00113289	0,177703	780,8890	2780,61	1999,72	2,1782	6,5525
186	459,15	11,4871	0,00113570	0,170229	789,7640	2782,23	1992,47	2,1974	6,5369
188	461,15	12,0094	0,00113855	0,163127	798,6560	2783,80	1985,14	2,2166	6,5214
190	463,15	12,5502	0,00114144	0,156377	807,5660	2785,31	1977,74	2,2358	6,5060
192	465,15	13,1099	0,00114437	0,149957	816,4940	2786,77	1970,28	2,2549	6,4907
194	467,15	13,6889	0,00114734	0,143848	825,4400	2788,18	1962,74	2,2739	6,4755
196	469,15	14,2877	0,00115036	0,138034	834,4050	2789,53	1955,12	2,2929	6,4603
198	471,15	14,9069	0,00115341	0,132497	843,3890	2790,82	1947,44	2,3119	6,4453
200	473,15	15,5467	0,00115651	0,127222	852,3930	2792,06	1939,67	2,3308	6,4303
202	475,15	16,2078	0,00115966	0,122195	861,4170	2793,24	1931,82	2,3497	6,4154
204	477,15	16,8906	0,00116285	0,117402	870,4630	2794,36	1923,90	2,3685	6,4006
206	479,15	17,5955	0,00116609	0,112830	879,5290	2795,42	1915,89	2,3873	6,3858
208	481,15	18,3231	0,00116937	0,108467	888,6180	2796,42	1907,80	2,4060	6,3711
210	483,15	19,0739	0,00117271	0,104302	897,7290	2797,35	1899,62	2,4248	6,3565
212	485,15	19,8483	0,00117609	0,100325	906,8630	2798,22	1891,36	2,4434	6,3420
214	487,15	20,6470	0,00117953	0,096525	916,0210	2799,03	1883,01	2,4621	6,3275
216	489,15	21,4702	0,00118302	0,092893	925,2030	2799,77	1874,57	2,4807	6,3130
218	491,15	22,3187	0,00118656	0,089421	934,4090	2800,45	1866,04	2,4993	6,2986
220	493,15	23,1929	0,00119016	0,086101	943,6420	2801,05	1857,41	2,5178	6,2842

TABLICA 1 - Toplinske tablice

Veličine stanja vrele vode i suhozasićene vodene pare
(prema temperaturi)

Temperatura		Tlak zasićenja p_s [bar]	Specifični volumen		Specifična entalpija		Spec. topl. isparivanja r [kJ/kg]	Specifična entropija	
			kapljevin v' [m ³ /kg]	para v'' [m ³ /kg]	kapljevin h' [kJ/kg]	para h'' [kJ/kg]		kapljevin s' [kJ/kgK]	para s'' [kJ/kgK]
222	495,15	24,0933	0,00119381	0,082924	952,9000	2801,59	1848,69	2,5363	6,2699
224	497,15	25,0205	0,00119752	0,079883	962,1850	2802,05	1839,87	2,5548	6,2557
226	499,15	25,9749	0,00120129	0,076971	971,4980	2802,45	1830,95	2,5733	6,2414
228	501,15	26,9572	0,00120512	0,074182	980,8390	2802,76	1821,93	2,5917	6,2272
230	503,15	27,9679	0,00120901	0,071510	990,2100	2803,01	1812,80	2,6102	6,2131
232	505,15	29,0075	0,00121297	0,068949	999,6090	2803,18	1803,57	2,6285	6,1989
234	507,15	30,0767	0,00121699	0,066494	1009,0400	2803,27	1794,23	2,6469	6,1848
236	509,15	31,1758	0,00122108	0,064139	1018,5000	2803,28	1784,78	2,6653	6,1707
238	511,15	32,3056	0,00122523	0,061879	1028,0000	2803,21	1775,22	2,6836	6,1566
240	513,15	33,4665	0,00122946	0,059710	1037,5200	2803,06	1765,54	2,7019	6,1425
242	515,15	34,6592	0,00123376	0,057628	1047,0800	2802,82	1755,74	2,7203	6,1285
244	517,15	35,8843	0,00123814	0,055628	1056,6800	2802,50	1745,82	2,7385	6,1144
246	519,15	37,1423	0,00124259	0,053707	1066,3100	2802,10	1735,78	2,7568	6,1003
248	521,15	38,4338	0,00124712	0,051861	1075,9800	2801,60	1725,62	2,7751	6,0863
250	523,15	39,7594	0,00125174	0,050087	1085,6900	2801,01	1715,33	2,7934	6,0722
252	525,15	41,1197	0,00125644	0,048380	1095,4300	2800,33	1704,90	2,8117	6,0582
254	527,15	42,5154	0,00126122	0,046739	1105,2200	2799,56	1694,34	2,8299	6,0441
256	529,15	43,9471	0,00126610	0,045159	1115,0400	2798,69	1683,64	2,8482	6,0300
258	531,15	45,4153	0,00127107	0,043639	1124,9100	2797,71	1672,80	2,8664	6,0158
260	533,15	46,921	0,00127613	0,042176	1134,8300	2796,64	1661,82	2,8847	6,0017
262	535,15	48,464	0,00128129	0,040766	1144,7800	2795,47	1650,68	2,9030	5,9875
264	537,15	50,046	0,00128656	0,039408	1154,7900	2794,19	1639,40	2,9213	5,9733
266	539,15	51,667	0,00129193	0,038100	1164,8400	2792,80	1627,96	2,9396	5,9590
268	541,15	53,327	0,00129741	0,036839	1174,9400	2791,30	1616,36	2,9579	5,9448
270	543,15	55,028	0,00130301	0,035622	1185,0900	2789,69	1604,60	2,9762	5,9304
272	545,15	56,771	0,00130872	0,034450	1195,3000	2787,96	1592,66	2,9945	5,9160
274	547,15	58,555	0,00131455	0,033318	1205,5500	2786,11	1580,56	3,0129	5,9016
276	549,15	60,381	0,00132052	0,032226	1215,8700	2784,14	1568,28	3,0312	5,8871
278	551,15	62,251	0,00132661	0,031172	1226,2400	2782,05	1555,81	3,0496	5,8725
280	553,15	64,165	0,00133285	0,030154	1236,6700	2779,82	1543,15	3,0681	5,8578
282	555,15	66,123	0,00133922	0,029171	1247,1600	2777,47	1530,30	3,0865	5,8431
284	557,15	68,126	0,00134575	0,028221	1257,7200	2774,97	1517,25	3,1050	5,8283
286	559,15	70,176	0,00135243	0,027303	1268,3400	2772,34	1504,00	3,1236	5,8134
288	561,15	72,272	0,00135928	0,026415	1279,0300	2769,56	1490,53	3,1421	5,7984
290	563,15	74,416	0,00136629	0,025557	1289,8000	2766,63	1476,84	3,1608	5,7832
292	565,15	76,609	0,00137349	0,024727	1300,6300	2763,55	1462,92	3,1794	5,7680
294	567,15	78,850	0,00138087	0,023923	1311,5400	2760,31	1448,76	3,1982	5,7526
296	569,15	81,142	0,00138844	0,023145	1322,5400	2756,90	1434,37	3,2170	5,7372
298	571,15	83,484	0,00139622	0,022392	1333,6100	2753,33	1419,72	3,2358	5,7215
300	573,15	85,877	0,00140422	0,021663	1344,7700	2749,57	1404,80	3,2547	5,7058

TABLICA 1 - Toplinske tablice

Veličine stanja vrele vode i suhozasićene vodene pare
(prema temperaturi)

Temperatura		Tlak zasićenja p_s [bar]	Specifični volumen		Specifična entalpija		Spec. topl. isparivanja r [kJ/kg]	Specifična entropija	
t [°C]	T [K]		kapljevina v' [m ³ /kg]	para v'' [m ³ /kg]	kapljevina h' [kJ/kg]	para h'' [kJ/kg]		kapljevina s' [kJ/kgK]	para s'' [kJ/kgK]
305	578,15	92,092	0,00142524	0,019937	1373,0700	2739,38	1366,30	3,3024	5,6656
310	583,15	98,648	0,00144788	0,018339	1402,0000	2727,92	1325,92	3,3506	5,6243
315	588,15	105,558	0,00147239	0,016856	1431,6300	2715,08	1283,45	3,3994	5,5816
320	593,15	112,839	0,00149906	0,015476	1462,0500	2700,67	1238,62	3,4491	5,5373
325	598,15	120,505	0,00152830	0,014189	1493,3700	2684,48	1191,11	3,4997	5,4911
330	603,15	128,575	0,00156060	0,012984	1525,7400	2666,25	1140,51	3,5516	5,4425
335	608,15	137,067	0,00159667	0,011852	1559,3400	2645,60	1086,26	3,6048	5,3910
340	613,15	146,002	0,00163751	0,010784	1594,4500	2622,07	1027,62	3,6599	5,3359
345	618,15	155,401	0,00168460	0,009770	1631,4400	2595,01	963,57	3,7175	5,2763
350	623,15	165,292	0,00174007	0,008801	1670,8600	2563,59	892,73	3,7783	5,2109
355	628,15	175,701	0,00180780	0,007866	1713,7100	2526,45	812,74	3,8438	5,1377
360	633,15	186,664	0,00189451	0,006945	1761,4900	2480,99	719,50	3,9164	5,0527
365	638,15	198,222	0,00201561	0,006004	1817,5900	2422,00	604,41	4,0011	4,9482
370	643,15	210,434	0,00222209	0,004946	1892,6400	2333,50	440,86	4,1142	4,7996
371	644,15	212,964	0,00229020	0,004691	1913,2500	2307,45	394,20	4,1453	4,7573
372	645,15	215,528	0,00238170	0,004399	1938,5400	2274,69	336,15	4,1836	4,7046
373	646,15	218,132	0,00252643	0,004021	1974,1400	2227,55	253,42	4,2377	4,6299
373,946	647,096	220,640	0,00310559	0,003106	2087,5500	2087,55	0,00	4,4120	4,4120