

TABLICA 2 - Toplinske tablice

Veličine stanja vrele vode i suhozasićene vodene pare
(prema tlaku)

Tlak p [bar]	Temperatura zasićenja t [°C]	Specifični volumen		Specifična entalpija		Spec. topl. isparivanja r [kJ/kg]	Specifična entropija	
		kapljevin v' [m ³ /kg]	para v'' [m ³ /kg]	kapljevin h' [kJ/kg]	para h'' [kJ/kg]		kapljevin s' [kJ/kgK]	para s'' [kJ/kgK]
0,006112127	0,0000	0,00100021	206,1400000	-0,0415900	2500,89	2500,93	-0,0001545	9,1558
0,006116570	0,0100	0,00100021	205,9970000	0,0006118	2500,91	2500,91	0,0000	9,1555
0,007	1,8809	0,00100011	181,2230000	7,88979	2504,35	2496,46	0,0288	9,1058
0,008	3,7614	0,00100007	159,6460000	15,8087	2507,80	2491,99	0,0575	9,0567
0,009	5,4444	0,00100009	142,7630000	22,8881	2510,89	2488,00	0,0830	9,0135
0,01	6,9696	0,00100014	129,1830000	29,2982	2513,68	2484,38	0,1059	8,9749
0,02	17,4953	0,00100136	66,98960000	73,4346	2532,91	2459,48	0,2606	8,7227
0,03	24,0799	0,00100277	45,65500000	100,9900	2544,88	2443,89	0,3543	8,5766
0,04	28,9615	0,00100410	34,79250000	121,4040	2553,71	2432,31	0,4225	8,4735
0,05	32,8755	0,00100532	28,18630000	137,7650	2560,77	2423,00	0,4763	8,3939
0,06	36,1603	0,00100645	23,73420000	151,4940	2566,67	2415,17	0,5209	8,3291
0,07	39,0009	0,00100749	20,52520000	163,3660	2571,76	2408,39	0,5591	8,2746
0,08	41,5101	0,00100847	18,09940000	173,8520	2576,24	2402,39	0,5925	8,2274
0,09	43,7618	0,00100939	16,19970000	183,2620	2580,25	2396,99	0,6223	8,1859
0,1	45,8075	0,00101026	14,67060000	191,8120	2583,89	2392,07	0,6492	8,1489
0,2	60,0586	0,00101714	7,64815000	251,4000	2608,95	2357,55	0,8320	7,9072
0,3	69,0954	0,00102222	5,22856000	289,2290	2624,55	2335,32	0,9439	7,7675
0,4	75,8568	0,00102636	3,99311000	317,5660	2636,05	2318,48	1,0259	7,6690
0,5	81,3167	0,00102991	3,24015000	340,4760	2645,21	2304,74	1,0910	7,5930
0,6	85,9258	0,00103306	2,73183000	359,8370	2652,85	2293,02	1,1452	7,5311
0,7	89,9315	0,00103589	2,36490000	376,6800	2659,42	2282,74	1,1919	7,4790
0,8	93,4854	0,00103849	2,08719000	391,6390	2665,18	2273,54	1,2328	7,4339
0,9	96,6870	0,00104090	1,86946000	405,1280	2670,31	2265,19	1,2694	7,3942
1,0	99,6059	0,00104315	1,69402000	417,4360	2674,95	2257,51	1,3026	7,3588
1,0	99,9743	0,00104344	1,67330000	418,9910	2675,53	2256,54	1,3067	7,3544
1,1	102,2920	0,00104526	1,54955000	428,7750	2679,18	2250,40	1,3328	7,3268
1,2	104,7840	0,00104727	1,42845000	439,2990	2683,06	2243,76	1,3608	7,2976
1,3	107,1090	0,00104917	1,32541000	449,1320	2686,65	2237,52	1,3867	7,2708
1,4	109,2920	0,00105098	1,23665000	458,3670	2689,99	2231,62	1,4109	7,2460
1,5	111,3500	0,00105272	1,15936000	467,0810	2693,11	2226,03	1,4335	7,2229
1,6	113,2980	0,00105440	1,09143000	475,3360	2696,04	2220,71	1,4549	7,2014
1,7	115,1490	0,00105601	1,03124000	483,1840	2698,81	2215,62	1,4752	7,1811
1,8	116,9120	0,00105756	0,97753400	490,6680	2701,42	2210,75	1,4944	7,1620
1,9	118,5970	0,00105906	0,92929900	497,8250	2703,89	2206,07	1,5127	7,1440
2,0	120,2120	0,00106052	0,88573500	504,6840	2706,24	2201,56	1,5301	7,1269
2,1	121,7610	0,00106193	0,84618700	511,2730	2708,48	2197,21	1,5468	7,1106
2,2	123,2510	0,00106331	0,81011900	517,6150	2710,62	2193,00	1,5628	7,0951
2,3	124,6880	0,00106464	0,77708600	523,7310	2712,66	2188,93	1,5782	7,0802
2,4	126,0740	0,00106595	0,74671600	529,6370	2714,62	2184,98	1,5930	7,0660
2,5	127,4140	0,00106722	0,71869700	535,3500	2716,50	2181,15	1,6072	7,0524
2,6	128,7110	0,00106846	0,69276300	540,8840	2718,31	2177,42	1,6210	7,0393
2,7	129,9680	0,00106968	0,66868700	546,2510	2720,04	2173,79	1,6343	7,0267

TABLICA 2 - Toplinske tablice

Veličine stanja vrele vode i suhozasićene vodene pare
(prema tlaku)

Tlak p [bar]	Temperatura zasićenja t [°C]	Specifični volumen		Specifična entalpija		Spec. topl. isparivanja r [kJ/kg]	Specifična entropija	
		kapljevin v' [m ³ /kg]	para v'' [m ³ /kg]	kapljevin h' [kJ/kg]	para h'' [kJ/kg]		kapljevin s' [kJ/kgK]	para s'' [kJ/kgK]
2,8	131,1880	0,00107087	0,64627400	551,4620	2721,72	2170,26	1,6472	7,0146
2,9	132,3730	0,00107203	0,62535500	556,5270	2723,33	2166,81	1,6597	7,0029
3,0	133,5250	0,00107318	0,60578500	561,4550	2724,89	2163,44	1,6718	6,9916
3,1	134,6470	0,00107430	0,58743600	566,2550	2726,40	2160,14	1,6835	6,9806
3,2	135,7400	0,00107540	0,57019600	570,9350	2727,86	2156,92	1,6950	6,9700
3,3	136,8060	0,00107648	0,55396600	575,5000	2729,27	2153,77	1,7061	6,9597
3,4	137,8450	0,00107754	0,53865800	579,9570	2730,64	2150,68	1,7169	6,9498
3,5	138,8610	0,00107858	0,52419600	584,3110	2731,97	2147,65	1,7275	6,9401
3,6	139,8530	0,00107961	0,51051000	588,5690	2733,25	2144,68	1,7378	6,9307
3,7	140,8230	0,00108062	0,49753900	592,7350	2734,51	2141,77	1,7478	6,9215
3,8	141,7730	0,00108161	0,48522800	596,8130	2735,72	2138,91	1,7576	6,9126
3,9	142,7020	0,00108259	0,47352700	600,8080	2736,91	2136,10	1,7672	6,9039
4,0	143,6130	0,00108356	0,46239200	604,7230	2738,06	2133,33	1,7766	6,8954
4,1	144,5050	0,00108451	0,45178100	608,5630	2739,18	2130,62	1,7858	6,8872
4,2	145,3800	0,00108545	0,44165800	612,3300	2740,27	2127,94	1,7948	6,8791
4,3	146,2380	0,00108638	0,43199000	616,0270	2741,33	2125,31	1,8036	6,8712
4,4	147,0810	0,00108729	0,42274700	619,6570	2742,37	2122,72	1,8122	6,8635
4,5	147,9080	0,00108820	0,41390000	623,2240	2743,39	2120,16	1,8206	6,8560
4,6	148,7210	0,00108909	0,40542500	626,7300	2744,38	2117,65	1,8289	6,8486
4,7	149,5190	0,00108997	0,39729900	630,1770	2745,34	2115,16	1,8371	6,8414
4,8	150,3050	0,00109084	0,38949900	633,5670	2746,28	2112,72	1,8450	6,8343
4,9	151,0770	0,00109170	0,38200700	636,9020	2747,21	2110,30	1,8529	6,8274
5,0	151,8360	0,00109256	0,37480400	640,1850	2748,11	2107,92	1,8606	6,8206
5,5	155,4620	0,00109668	0,34259200	655,8770	2752,33	2096,45	1,8972	6,7885
6,0	158,8320	0,00110061	0,31557500	670,5010	2756,14	2085,64	1,9311	6,7592
6,5	161,9860	0,00110436	0,29258100	684,2160	2759,60	2075,38	1,9626	6,7321
7,0	164,9530	0,00110797	0,27276400	697,1430	2762,75	2065,61	1,9921	6,7070
7,5	167,7550	0,00111144	0,25550300	709,3840	2765,64	2056,26	2,0198	6,6835
8,0	170,4140	0,00111479	0,24032800	721,0180	2768,30	2047,28	2,0460	6,6615
8,5	172,9430	0,00111803	0,22687800	732,1130	2770,76	2038,65	2,0708	6,6408
9,0	175,3580	0,00112118	0,21487400	742,7250	2773,04	2030,31	2,0944	6,6212
9,5	177,6690	0,00112425	0,20409000	752,9010	2775,15	2022,25	2,1169	6,6027
10,0	179,8860	0,00112723	0,19434900	762,6830	2777,12	2014,44	2,1384	6,5850
10,5	182,0170	0,00113015	0,18550400	772,1050	2778,95	2006,85	2,1591	6,5681
11,0	184,0700	0,00113299	0,17743600	781,1980	2780,67	1999,47	2,1789	6,5520
11,5	186,0500	0,00113578	0,17004500	789,9880	2782,27	1992,28	2,1979	6,5365
12,0	187,9650	0,00113850	0,16325000	798,4990	2783,77	1985,27	2,2163	6,5217
12,5	189,8170	0,00114118	0,15697900	806,7510	2785,17	1978,42	2,2340	6,5074
13,0	191,6130	0,00114380	0,15117500	814,7640	2786,49	1971,73	2,2512	6,4936
13,5	193,3550	0,00114638	0,14578600	822,5520	2787,73	1965,18	2,2678	6,4804
14,0	195,0470	0,00114892	0,14076800	830,1320	2788,89	1958,76	2,2839	6,4675
14,5	196,6930	0,00115141	0,13608400	837,5160	2789,98	1952,47	2,2995	6,4551

TABLICA 2 - Toplinske tablice

Veličine stanja vrele vode i suhozasićene vodene pare
(prema tlaku)

Tlak p [bar]	Temperatura zasićenja t [°C]	Specifični volumen		Specifična entalpija		Spec. topl. isparivanja r [kJ/kg]	Specifična entropija	
		kapljevin v' [m ³ /kg]	para v'' [m ³ /kg]	kapljevin h' [kJ/kg]	para h'' [kJ/kg]		kapljevin s' [kJ/kgK]	para s'' [kJ/kgK]
15,0	198,2950	0,00115387	0,13170200	844,7170	2791,01	1946,29	2,3147	6,4431
15,5	199,8560	0,00115629	0,12759300	851,7450	2791,97	1940,23	2,3294	6,4314
16,0	201,3780	0,00115868	0,12373200	858,6100	2792,88	1934,27	2,3438	6,4200
16,5	202,8640	0,00116103	0,12009700	865,3220	2793,73	1928,41	2,3578	6,4090
17,0	204,3150	0,00116336	0,11666800	871,8880	2794,53	1922,64	2,3715	6,3983
17,5	205,7330	0,00116565	0,11342800	878,3160	2795,28	1916,96	2,3848	6,3878
18,0	207,1200	0,00116792	0,11036200	884,6140	2795,99	1911,37	2,3978	6,3776
18,5	208,4770	0,00117016	0,10745600	890,7880	2796,65	1905,86	2,4105	6,3676
19,0	209,8060	0,00117238	0,10469800	896,8440	2797,26	1900,42	2,4229	6,3579
19,5	211,1080	0,00117458	0,10207600	902,7860	2797,84	1895,06	2,4351	6,3484
20,0	212,3850	0,00117675	0,09958050	908,6220	2798,38	1889,76	2,4470	6,3392
20,5	213,6370	0,00117890	0,09720260	914,3550	2798,89	1884,53	2,4587	6,3301
21,0	214,8650	0,00118103	0,09493390	919,9890	2799,36	1879,37	2,4701	6,3212
21,5	216,0710	0,00118314	0,09276710	925,5300	2799,80	1874,27	2,4814	6,3125
22,0	217,2560	0,00118524	0,09069530	930,9810	2800,20	1869,22	2,4924	6,3040
22,5	218,4200	0,00118731	0,08871230	936,3450	2800,58	1864,23	2,5032	6,2956
23,0	219,5640	0,00118937	0,08681250	941,6260	2800,92	1859,30	2,5138	6,2874
23,5	220,6890	0,00119141	0,08499060	946,8270	2801,24	1854,42	2,5242	6,2793
24,0	221,7950	0,00119343	0,08324210	951,9520	2801,54	1849,58	2,5344	6,2714
24,5	222,8850	0,00119544	0,08156230	957,0030	2801,80	1844,80	2,5445	6,2636
25,0	223,9560	0,00119744	0,07994740	961,9830	2802,04	1840,06	2,5544	6,2560
25,5	225,0120	0,00119942	0,07839350	966,8950	2802,26	1835,37	2,5642	6,2485
26,0	226,0520	0,00120139	0,07689730	971,7400	2802,45	1830,71	2,5738	6,2411
26,5	227,0760	0,00120334	0,07545560	976,5210	2802,63	1826,11	2,5832	6,2338
27,0	228,0860	0,00120528	0,07406530	981,2410	2802,78	1821,54	2,5925	6,2266
27,5	229,0810	0,00120721	0,07272380	985,9010	2802,91	1817,01	2,6017	6,2196
28,0	230,0630	0,00120913	0,07142850	990,5030	2803,02	1812,51	2,6107	6,2126
28,5	231,0310	0,00121104	0,07017700	995,0500	2803,11	1808,06	2,6196	6,2058
29,0	231,9860	0,00121294	0,06896710	999,5420	2803,18	1803,63	2,6284	6,1990
29,5	232,9280	0,00121482	0,06779680	1003,9800	2803,23	1799,25	2,6371	6,1924
30,0	233,8580	0,00121670	0,06666410	1008,3700	2803,26	1794,89	2,6456	6,1858
30,5	234,7770	0,00121857	0,06556720	1012,7100	2803,28	1790,57	2,6541	6,1793
31,0	235,6840	0,00122042	0,06450440	1017,0000	2803,28	1786,28	2,6624	6,1729
31,5	236,5800	0,00122227	0,06347410	1021,2500	2803,27	1782,02	2,6706	6,1666
32,0	237,4640	0,00122411	0,06247480	1025,4500	2803,24	1777,79	2,6787	6,1604
32,5	238,3390	0,00122594	0,06150520	1029,6100	2803,19	1773,58	2,6867	6,1542
33,0	239,2030	0,00122777	0,06056390	1033,7200	2803,13	1769,41	2,6946	6,1481
33,5	240,0570	0,00122958	0,05964970	1037,7900	2803,05	1765,26	2,7025	6,1421
34,0	240,9010	0,00123139	0,05876140	1041,8300	2802,96	1761,14	2,7102	6,1362
34,5	241,7360	0,00123319	0,05789790	1045,8200	2802,86	1757,04	2,7178	6,1303
35,0	242,5620	0,00123498	0,05705820	1049,7800	2802,74	1752,97	2,7254	6,1245
35,5	243,3780	0,00123677	0,05624130	1053,6900	2802,61	1748,92	2,7329	6,1188

TABLICA 2 - Toplinske tablice

Veličine stanja vrele vode i suhozasićene vodene pare
(prema tlaku)

Tlak p [bar]	Temperatura zasićenja t [°C]	Specifični volumen		Specifična entalpija		Spec. topl. isparivanja r [kJ/kg]	Specifična entropija	
		kapljevin v' [m ³ /kg]	para v'' [m ³ /kg]	kapljevin h' [kJ/kg]	para h'' [kJ/kg]		kapljevin s' [kJ/kgK]	para s'' [kJ/kgK]
36,0	244,1860	0,00123855	0,05544630	1057,5700	2802,47	1744,90	2,7403	6,1131
36,5	244,9860	0,00124032	0,05467220	1061,4200	2802,31	1740,89	2,7476	6,1075
37,0	245,7760	0,00124209	0,05391830	1065,2300	2802,15	1736,91	2,7548	6,1019
37,5	246,5590	0,00124385	0,05318370	1069,0100	2801,97	1732,96	2,7619	6,0964
38,0	247,3340	0,00124560	0,05246780	1072,7600	2801,78	1729,02	2,7690	6,0910
38,5	248,1010	0,00124735	0,05176980	1076,4700	2801,57	1725,10	2,7760	6,0856
39,0	248,8610	0,00124910	0,05108900	1080,1500	2801,36	1721,21	2,7830	6,0802
39,5	249,6130	0,00125084	0,05042480	1083,8000	2801,13	1717,33	2,7898	6,0749
40,0	250,3580	0,00125257	0,04977660	1087,4300	2800,90	1713,47	2,7967	6,0697
40,5	251,0950	0,00125430	0,04914380	1091,0200	2800,65	1709,63	2,8034	6,0645
41,0	251,8260	0,00125602	0,04852590	1094,5800	2800,39	1705,81	2,8101	6,0594
41,5	252,5500	0,00125774	0,04792230	1098,1200	2800,13	1702,01	2,8167	6,0543
42,0	253,2670	0,00125946	0,04733260	1101,6300	2799,85	1698,22	2,8232	6,0492
42,5	253,9780	0,00126117	0,04675620	1105,1100	2799,57	1694,46	2,8297	6,0442
43,0	254,6830	0,00126288	0,04619270	1108,5700	2799,27	1690,70	2,8362	6,0393
43,5	255,3810	0,00126458	0,04564170	1112,0000	2798,97	1686,97	2,8425	6,0343
44,0	256,0730	0,00126628	0,04510270	1115,4000	2798,65	1683,25	2,8488	6,0294
44,5	256,7590	0,00126797	0,04457540	1118,7900	2798,33	1679,54	2,8551	6,0246
45,0	257,4390	0,00126966	0,04405930	1122,1400	2798,00	1675,85	2,8613	6,0198
45,5	258,1140	0,00127135	0,04355420	1125,4800	2797,66	1672,18	2,8675	6,0150
46,0	258,7830	0,00127304	0,04305960	1128,7900	2797,31	1668,52	2,8736	6,0103
46,5	259,4460	0,00127472	0,04257530	1132,0800	2796,95	1664,87	2,8797	6,0056
47,0	260,1040	0,00127639	0,04210090	1135,3400	2796,59	1661,24	2,8857	6,0010
47,5	260,7570	0,00127807	0,04163610	1138,5900	2796,21	1657,62	2,8916	5,9963
48,0	261,4040	0,00127974	0,04118060	1141,8100	2795,83	1654,02	2,8975	5,9917
48,5	262,0460	0,00128141	0,04073410	1145,0100	2795,44	1650,43	2,9034	5,9872
49,0	262,6830	0,00128308	0,04029640	1148,2000	2795,04	1646,85	2,9092	5,9827
49,5	263,3160	0,00128474	0,03986720	1151,3600	2794,64	1643,28	2,9150	5,9782
50,0	263,9430	0,00128641	0,03944630	1154,5000	2794,23	1639,73	2,9207	5,9737
51,0	265,1830	0,00128972	0,03862820	1160,7300	2793,38	1632,65	2,9321	5,9649
52,0	266,4050	0,00129303	0,03784030	1166,8800	2792,51	1625,62	2,9433	5,9562
53,0	267,6100	0,00129633	0,03708110	1172,9700	2791,60	1618,64	2,9543	5,9475
54,0	268,7970	0,00129962	0,03634880	1178,9800	2790,67	1611,69	2,9652	5,9390
55,0	269,9670	0,00130291	0,03564220	1184,9200	2789,72	1604,79	2,9759	5,9307
56,0	271,1210	0,00130619	0,03495970	1190,8100	2788,74	1597,93	2,9865	5,9224
57,0	272,2600	0,00130947	0,03430030	1196,6300	2787,73	1591,10	2,9969	5,9141
58,0	273,3830	0,00131274	0,03366270	1202,3900	2786,70	1584,31	3,0072	5,9060
59,0	274,4920	0,00131601	0,03304580	1208,0900	2785,64	1577,55	3,0174	5,8980
60,0	275,5860	0,00131927	0,03244870	1213,7300	2784,56	1570,83	3,0274	5,8901
61,0	276,6670	0,00132253	0,03187030	1219,3200	2783,46	1564,14	3,0374	5,8822
62,0	277,7340	0,00132579	0,03130980	1224,8600	2782,33	1557,48	3,0472	5,8744
63,0	278,7880	0,00132905	0,03076640	1230,3400	2781,19	1550,84	3,0569	5,8667

TABLICA 2 - Toplinske tablice

Veličine stanja vrele vode i suhozasićene vodene pare
(prema tlaku)

Tlak p [bar]	Temperatura zasićenja t [°C]	Specifični volumen		Specifična entalpija		Spec. topl. isparivanja r [kJ/kg]	Specifična entropija	
		kapljevin v' [m ³ /kg]	para v'' [m ³ /kg]	kapljevin h' [kJ/kg]	para h'' [kJ/kg]		kapljevin s' [kJ/kgK]	para s'' [kJ/kgK]
64,0	279,8300	0,00133231	0,03023920	1235,7800	2780,02	1544,24	3,0665	5,8591
65,0	280,8590	0,00133557	0,02972760	1241,1700	2778,83	1537,66	3,0760	5,8515
66,0	281,8760	0,00133882	0,02923080	1246,5100	2777,62	1531,11	3,0854	5,8440
67,0	282,8810	0,00134208	0,02874820	1251,8100	2776,39	1524,58	3,0947	5,8366
68,0	283,8750	0,00134534	0,02827920	1257,0600	2775,13	1518,07	3,1039	5,8292
69,0	284,8580	0,00134860	0,02782310	1262,2700	2773,86	1511,59	3,1130	5,8219
70,0	285,8300	0,00135186	0,02737960	1267,4400	2772,57	1505,13	3,1220	5,8146
71,0	286,7910	0,00135512	0,02694790	1272,5700	2771,26	1498,69	3,1309	5,8074
72,0	287,7430	0,00135839	0,02652770	1277,6500	2769,93	1492,27	3,1398	5,8003
73,0	288,6840	0,00136165	0,02611850	1282,7000	2768,58	1485,87	3,1485	5,7932
74,0	289,6150	0,00136493	0,02571980	1287,7200	2767,21	1479,49	3,1572	5,7862
75,0	290,5370	0,00136820	0,02533130	1292,7000	2765,82	1473,12	3,1658	5,7792
76,0	291,4490	0,00137149	0,02495250	1297,6400	2764,41	1466,78	3,1743	5,7722
77,0	292,3520	0,00137477	0,02458310	1302,5500	2762,99	1460,44	3,1827	5,7653
78,0	293,2470	0,00137806	0,02422270	1307,4200	2761,55	1454,12	3,1911	5,7584
79,0	294,1320	0,00138136	0,02387090	1312,2700	2760,09	1447,82	3,1994	5,7516
80,0	295,0090	0,00138466	0,02352750	1317,0800	2758,61	1441,53	3,2077	5,7448
81,0	295,8780	0,00138797	0,02319220	1321,8600	2757,12	1435,25	3,2158	5,7381
82,0	296,7380	0,00139129	0,02286460	1326,6100	2755,60	1428,99	3,2239	5,7314
83,0	297,5910	0,00139461	0,02254460	1331,3400	2754,07	1422,74	3,2320	5,7247
84,0	298,4350	0,00139795	0,02223170	1336,0300	2752,52	1416,49	3,2399	5,7181
85,0	299,2720	0,00140129	0,02192580	1340,7000	2750,96	1410,26	3,2478	5,7115
86,0	300,1020	0,00140464	0,02162660	1345,3400	2749,38	1404,04	3,2557	5,7050
87,0	300,9240	0,00140799	0,02133400	1349,9600	2747,78	1397,82	3,2635	5,6984
88,0	301,7380	0,00141136	0,02104760	1354,5400	2746,16	1391,62	3,2712	5,6919
89,0	302,5460	0,00141474	0,02076730	1359,1100	2744,53	1385,42	3,2789	5,6855
90,0	303,3470	0,00141812	0,02049290	1363,6500	2742,88	1379,23	3,2866	5,6790
91,0	304,1410	0,00142152	0,02022420	1368,1700	2741,22	1373,05	3,2942	5,6726
92,0	304,9280	0,00142493	0,01996100	1372,6600	2739,53	1366,87	3,3017	5,6662
93,0	305,7090	0,00142834	0,01970310	1377,1400	2737,83	1360,70	3,3092	5,6598
94,0	306,4830	0,00143177	0,01945030	1381,5900	2736,12	1354,53	3,3166	5,6535
95,0	307,2510	0,00143522	0,01920260	1386,0200	2734,38	1348,37	3,3240	5,6472
96,0	308,0130	0,00143867	0,01895970	1390,4300	2732,64	1342,21	3,3313	5,6409
97,0	308,7680	0,00144214	0,01872140	1394,8100	2730,87	1336,06	3,3386	5,6346
98,0	309,5180	0,00144562	0,01848780	1399,1800	2729,09	1329,90	3,3459	5,6283
99,0	310,2620	0,00144911	0,01825850	1403,5400	2727,29	1323,75	3,3531	5,6221
100,0	310,9990	0,00145262	0,01803360	1407,8700	2725,47	1317,61	3,3603	5,6159
105,0	314,6060	0,00147038	0,01696870	1429,2700	2716,14	1286,88	3,3956	5,5850
110,0	318,0810	0,00148855	0,01599390	1450,2800	2706,39	1256,12	3,4300	5,5545
115,0	321,4360	0,00150718	0,01509720	1470,9500	2696,21	1225,26	3,4636	5,5243
120,0	324,6780	0,00152633	0,01426890	1491,3300	2685,58	1194,26	3,4965	5,4941
125,0	327,8160	0,00154607	0,01350060	1511,4600	2674,49	1163,02	3,5288	5,4640

TABLICA 2 - Toplinske tablice

Veličine stanja vrele vode i suhozasićene vodene pare
(prema tlaku)

Tlak p [bar]	Temperatura zasićenja t [°C]	Specifični volumen		Specifična entalpija		Spec. topl. isparivanja r [kJ/kg]	Specifična entropija	
		kapljevina v' [m ³ /kg]	para v'' [m ³ /kg]	kapljevina h' [kJ/kg]	para h'' [kJ/kg]		kapljevina s' [kJ/kgK]	para s'' [kJ/kgK]
130,0	330,8570	0,00156649	0,01278510	1531,4000	2662,89	1131,49	3,5606	5,4339
135,0	333,8060	0,00158766	0,01211630	1551,1900	2650,77	1099,58	3,5920	5,4036
140,0	336,6690	0,00160971	0,01148890	1570,8800	2638,09	1067,21	3,6230	5,3730
145,0	339,4520	0,00163276	0,01089810	1590,5100	2624,81	1034,29	3,6538	5,3422
150,0	342,1580	0,00165696	0,01034010	1610,1500	2610,86	1000,71	3,6844	5,3108
155,0	344,7920	0,00168249	0,00981114	1629,8500	2596,22	966,37	3,7150	5,2789
160,0	347,3570	0,00170954	0,00930813	1649,6700	2580,80	931,13	3,7457	5,2463
165,0	349,8560	0,00173833	0,00882826	1669,6800	2564,57	894,88	3,7765	5,2129
170,0	352,2930	0,00176934	0,00836934	1690,0400	2547,41	857,38	3,8077	5,1785
175,0	354,6710	0,00180286	0,00792681	1710,7600	2529,11	818,35	3,8393	5,1428
180,0	356,9920	0,00183949	0,00749867	1732,0200	2509,53	777,51	3,8717	5,1055
185,0	359,2580	0,00188000	0,00708178	1753,9900	2488,41	734,42	3,9050	5,0663
190,0	361,4710	0,00192545	0,00667261	1776,8900	2465,41	688,52	3,9396	5,0246
195,0	363,6330	0,00197747	0,00626677	1801,0800	2440,00	638,92	3,9762	4,9795
200,0	365,7460	0,00203865	0,00585828	1827,1000	2411,39	584,29	4,0154	4,9299
205,0	367,8110	0,00211358	0,00543778	1855,9000	2378,16	522,26	4,0588	4,8736
210,0	369,8270	0,00221186	0,00498768	1889,4000	2337,54	448,15	4,1093	4,8062
215,0	371,7950	0,00236016	0,00446300	1932,8100	2282,18	349,38	4,1749	4,7166
220,0	373,7070	0,00275039	0,00357662	2021,9200	2164,18	142,27	4,3109	4,5308
220,64	373,9460	0,00310559	0,00310559	2087,5500	2087,5500	0,00	4,4120	4,41200